

providing data defining at least one light source and its direction illuminating the image wherein the light source is defined in the same local coordinate system; and

for each pixel in the image, deriving a shading value to be applied to that pixel from the set of surface normal vectors and the light source data.

21. A method according to Claim 20 in which the surface normal vectors are stored in polar coordinates.

22. A method according to Claim 20 in which the light source data is stored in polar coordinates.

23. A method according to Claim 20 in which the step of deriving a shading value to be applied to a pixel comprises deriving a colour value and a blending value from the light source data and combining this colour value with existing colour data from that pixel in dependence on the blending value.

24. A method according to Claim 20 in which the surface normal vector is stored in Cartesian coordinates.

25. A method according to Claim 24 in which the light source data is stored in Cartesian coordinates.

26. A method according to Claim 24 in which for each surface normal only two of the Cartesian coordinates are stored.

27. A method according to Claim 20 comprising the step of applying a linear filter to the texture data at least once to map values to individual pixels.

28. A method according to Claim 20 including the step of applying a glossiness parameter to a pixel.

29. Apparatus for shading a three dimensional textured computer graphic image comprising:

means for providing data defining the three dimensional computer graphic image;

means for providing a set of surface normal vectors corresponding to the texture data applied to the image wherein the surface normal vectors are stored in a local coordinate system;

means for providing data defining at least one light source and its direction illuminating the image wherein the direction of the light source is provided in the same local coordinate system; and

means for deriving a shading value to be applied to each pixel in the image from the set of surface normal vectors and the light source data.

30. Apparatus according to Claim 29 in which the surface normals are stored in polar coordinates.

31. Apparatus according to Claim 29 in which light source data is stored in polar coordinates.

32. Apparatus according to Claim 29 in which the surface normals are stored in Cartesian coordinates.

33. Apparatus according to Claim 29 in which the light source data is stored in Cartesian coordinates.

B1
Cont

34. Apparatus according to Claim 32 in which for each surface normal only two of the Cartesian coordinates are stored.

35. Apparatus according to Claim 29 comprising means for applying a linear filter at least once to the texture data to map values onto individual pixels.

B1
Concl
36. Apparatus according to Claim 29 in which said means for deriving a shading value to be applied to a pixel comprises means for deriving a colour value and a blending value from the light source data and means for combining the colour value with an existing colour value in dependence on the blending value.

REMARKS

This Amendment Before First Office Action is submitted in order to place the claims in better condition for examination and to conform the claims to the claims as amended at the PCT level.

Respectfully submitted,

Liane L Churney

FOR Dale H. Thiel

DHT/L/jp

FLYNN, THIEL, BOUTELL
& TANIS, P.C.
2026 Rambling Road
Kalamazoo, MI 49008-1699
Phone: (616) 381-1156
Fax: (616) 381-5465

Dale H. Thiel
David G. Boutell
Ronald J. Tanis
Terryence F. Chapman
Mark L. Maki
David S. Goldenberg
Sidney B. Williams, Jr.
Timothy B. Clise
Liane L. Churney
Brian R. Tumm

Reg. No. 24 323
Reg. No. 25 072
Reg. No. 22 724
Reg. No. 32 549
Reg. No. 36 589
Reg. No. 31 257
Reg. No. 24 949
Reg. No. 40 957
Reg. No. 40 694
Reg. No. 36 328

Encl: None

336.9804